

Client : Kostas Kourouniotis, Foundation for Research & Technology-I.M.B.B.

(Page 1 of 1)

Veterinary Medicine, 100 N.Plastira str., Vassilika Vouton, 70013 Heraklion, Crete, 70013, Greece

Batch Code : BH-21/000404 Substances : Mouse Blood Spots, Swabs and Faeces

Sample Details : SPF2 Lab No : 21/4276

	Test Frequency	Current Test Date	Current Test Results	Testing Laboratory	Test Method	Cumulative Since Dec19
<b>Serology</b>						
MVM Minute Virus of Mice	3 Months	15/06/2021	0/1	SDL	Bead	0/2
MHV Mouse Hepatitis Virus	3 Months	15/06/2021	0/1	SDL	Bead	0/2
PVM Pneumonia Virus of Mice	3 Months	15/06/2021	0/1	SDL	Bead	0/2
REO III Reo Virus Type 3	3 Months	15/06/2021	0/1	SDL	Bead	0/2
GDVII TMEV	3 Months	15/06/2021	0/1	SDL	Bead	0/2
SEND Sendai Virus	3 Months	15/06/2021	0/1	SDL	Bead	0/2
EDIM Epizootic Diarrhoea of Infant Mice	3 Months	15/06/2021	0/1	SDL	Bead	0/2
MPV Mouse Parvovirus	3 Months	15/06/2021	0/1	SDL	Bead	0/2
NS-1	3 Months	15/06/2021	0/1	SDL	Bead	0/2
MNV Mouse Norovirus	3 Months	15/06/2021	0/1	SDL	Bead	0/2
CPIL Clostridium piliforme	3 Months	15/06/2021	0/1	SDL	Bead	0/2
MPUL Mycoplasma species	3 Months	15/06/2021	0/1	SDL	Bead	0/2
LCMV Lymphocytic Choriomeningitis Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
HANT Hantaan Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
ECTRO Ectromelia Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
MCMV Mouse Cytomegalovirus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
MAD1 Mouse Adenovirus 1	12 Months	15/06/2021	0/1	SDL	Bead	0/2
MAD2 Mouse Adenovirus 2	12 Months	15/06/2021	0/1	SDL	Bead	0/2
POLY Polyoma Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
K Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
MTV Mouse Thymic Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
CARB CAR bacillus	12 Months	15/06/2021	0/1	SDL	Bead/IFA	0/2
ECUN Encephalitozoon cuniculi	12 Months	15/06/2021	0/1	SDL	Bead	0/2
LDEV Lactate Dehydrogenase Elevating Virus	12 Months	15/06/2021	0/1	SDL	Bead	0/2
PMUR Pneumocystis murina	12 Months	15/06/2021	0/1	SDL	Bead	0/2
<b>Bacteriology</b>						
Helicobacter species	On Request	15/06/2021	0/1	SDL	PCR	0/2
Bordetella bronchiseptica	3 Months	15/06/2021	0/1	SDL	Culture/Agg	0/2
Citrobacter rodentium	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Corynebacterium kutscheri	3 Months	15/06/2021	0/1	SDL	Culture/PCR	0/2
Klebsiella species	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Pasteurellaceae	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Pasteurella pneumotropica (Jawetz)	3 Months	15/06/2021	0/1	SDL	PCR	0/2
Pasteurella pneumotropica (Heyl)	3 Months	15/06/2021	0/1	SDL	PCR	0/2
Pseudomonas aeruginosa	3 Months	15/06/2021	0/1	SDL	Culture	1/2
Salmonella species	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Staphylococcus aureus	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Streptobacillus moniliformis	3 Months	15/06/2021	0/1	SDL	Culture	0/2
B-haemolytic Streptococci	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Streptococcus pneumoniae	3 Months	15/06/2021	0/1	SDL	Culture	0/2
Yersinia species	3 Months	15/06/2021	0/1	SDL	Culture	0/2
<b>Molecular Biological Testing</b>						
Aspicularis tetraoptera PCR	On Request	15/06/2021	0/1	SDL	PCR	0/2
Syphacia obvelata PCR	On Request	15/06/2021	0/1	SDL	PCR	0/2

NOTE : Samples took 4 days to arrive, which is sub-optimal for throat swab culture, in particular Pasteurella isolation.

Bead - Multiplexed Serological Assay, PCR - Polymerase Chain Reaction, CULT - Culture, MIC - Microscopy, FLOT - Faecal Flotation, SDL - Surrey Diagnostics Ltd., AB - Abbey Veterinary Services, BD - Bio-Doc



Andrew Dickinson BSc, MRSB  
General Manager